# 9-Watt LED Luminaires

Engineered Products Company's (EPCO) 9-Watt LED Keyless and Pull Chain Luminaires' low profile illumination is ideal for small area lighting applications. Offering optimum lighting performance and energy efficiency, the annual operating cost is \$5.52, an 85% savings vs. an incandescent lamp, a 31% saving vs. a compact fluorescent lamp. Just another innovation from EPCO designed to save you energy and money!

■ Available Keyless or with Pull Chain.

Includes 9-Watt Bi-Pin LED Lamp and Polycarbonate Lamp Diffuser.

- Can be used with standard wall switch.
- Impact resistant construction.
- 7" wire conductors.
- Medium Base fits 3.25" or 4.0" Outlet Box.

## **Product Data Sheet**









(P/N: 16536)



Bi-Pin LED Lamp (P/N: 15676)

| 9-Watt LED Luminaire Specifications |   |   |  |  |  |  |  |
|-------------------------------------|---|---|--|--|--|--|--|
|                                     | P/N: 16531                                    | P/N: 16536                                  |  |  |  |  |  |
| Lumen Output                        | 800 Lumens                                    | 800 Lumens<br>2700K                         |  |  |  |  |  |
| Color Temperature                   | 2700K   |   |  |  |  |  |  |
| Voltage                             | 120-Volts                                     | 120-Volts                                   |  |  |  |  |  |
| Wattage                             | 9-Watts                                       | 9-Watts<br>88 lm/W<br>Dry Environments Only |  |  |  |  |  |
| Efficacy                            | 88 lm/W                                       |   |  |  |  |  |  |
| Applications                        | Dry Environments Only                         |   |  |  |  |  |  |
| Operating Temperature               | 32°F (0°C) to 104°F (40°C)                    | 32°F (0°C) to 104°F (40°C)                  |  |  |  |  |  |
| Diffuser                            | Snap-On, Frosted Acrylic                      | Snap-On, Frosted Acrylic                    |  |  |  |  |  |
| Switch                              | Standard Wall Switch (Keyless)                | Standard Wall Switch (Pull Chain)           |  |  |  |  |  |
|                                     | ■ UL Listed                                   |   |  |  |  |  |  |
| Certifications                      | ■ Energy Star Rated                           |   |  |  |  |  |  |
| Communications                      | ■ Meets the requirements of the 2023 National | Electrical Code:                            |  |  |  |  |  |


Articles 410.16(A)(B)(1)(3), (D)(1)(3), 410.52, and 410.80(A)(B).


#### **TYPICAL APPLICATIONS:**

- Closets
- Garages
- Attics
- Utility Rooms

- Basements
- Storage Buildings
- Commercial, Industrial, and Residential Lighting
- And more...

### **DIMENSIONAL REFERENCES:**





#### **PART NUMBERS:**

| Catalog<br>Number | UPC<br>Number | Description     | Order<br>Unit | Unit<br>Qty | Unit<br>Pkg | Units/<br>Case | TL Case<br>Qty | Min Order<br>Qty | MM<br>Req | Ship Wt<br>(Lbs) |
|-------------------|---------------|-----------------|---------------|-------------|-------------|----------------|----------------|------------------|-----------|------------------|
| 16531             | 16531         | Keyless         | EA            | 1           | ВХ          | 24             | 24             | 24               | Yes       | 11               |
| 16536             | 16536         | Pull Chain      | EA            | 1           | ВХ          | 24             | 24             | 24               | Yes       | 11               |
| 15676             | 15676         | Bi-Pin LED Lamp | EA            | 1           | ВХ          | 25             | 25             | 25               | Yes       | 8                |

**UNITS OF MEASURE KEY** 

Order Unit: The Unit to be ordered; Order Qty: Number of pieces in each Unit; Unit Pkg: Packaging types - BG (Bag), BX (Box), BRL (Barrel); Units/Case:
Unit packages contained in the Case; TL Case Qty: The total number of items in each Master Case; Min Order Qty: The smallest Unit that can be ordered;
MM Req: Must order multiples of the Unit in the stated quantities; Ship Wt (Lbs): Total weight of the units per Carton



